



Order #: 79286
Retail Batch #:
2106M

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Order Information

Order #: 79286
Order Name: 250mg Full Spectrum Natural
Retail Batch #: 2106M
Received: 04/26/2023 12:01:45
Complete: 05/03/2023 17:46:41

Batch Information

Create Date: Total Qty.: 0
Exp. Date: Matrix: Tincture
Size: 0 Pickup Weight: N/A

CANNABINOID PROFILE TESTED	LABEL CLAIM PASS	MICROBIAL ANALYSIS PASS
RESIDUAL SOLVENTS PASS	AGRICULTURAL AGENTS PASS	HEAVY METAL ANALYSIS PASS
TERPENES NOT TESTED	MOISTURE ANALYSIS TESTED	WATER ACTIVITY TESTED
FILTH & FOREIGN MATERIAL ANALYSIS PASS	HOMOGENEITY NOT TESTED	MYCOTOXIN ANALYSIS PASS



0.0000 %
Total THC

0.9068 %
Total CBD

0.9068 %
Total Cannabinoids

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343




 Order #: 79286
 Retail Batch #:
 2106M

Sample Prep

 Tech: 3396
 SOP: 418
 Batch Number: 59588
 Batch Date: 04/28/2023 17:55:11

Sample Analysis

 Date/Time: 05/03/2023 11:53:36
 Tech: 3396
 SOP: 417
 Final Weight: 0.2033 g
 Volume: 40 ml

CANNABINOID PROFILE

HPLC-DAD

ND Total THC	ND THC Per Unit	ND THC Per Pkg
0.9068 % Total CBD	253.904 mg CBD Per Unit	253.904 mg CBD Per Pkg
0.9068 % Total Cannabinoids	253.904 mg Cannabinoids Per Unit	253.904 mg Cannabinoids Per Pkg

Cannabinoid Potency

ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR.
CBC	0.064/0.1954	1	<LOQ	<LOQ	<LOQ	<LOQ	--	--
CBD	0.064/0.1954	1	0.9068	9.068	253.904	253.904	250	1.6
CBDA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBDV	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBG	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBGA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBN	0.064/0.1954	1	ND	ND	ND	ND	--	--
d8-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
THCA	0.064/0.1954	1	ND	ND	ND	ND	--	--
THCV	0.064/0.1954	1	ND	ND	ND	ND	--	--

Additional Cannabinoids

ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR.
CBDVA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBL	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBT	0.064/0.1954	1	ND	ND	ND	ND	--	--
d10-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THCP	0.064/0.1954	1	ND	ND	ND	ND	--	--
exo-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--

mg/unit = 28 (g) per unit x cannabinoid concentration (mg/g)

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)

ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

CANNABINOID TOTALS	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE
Total THC	ND	ND	ND	ND
Total CBD	0.9068	9.068	253.904	253.904
Total Cannabinoids	0.9068	9.068	253.904	253.904

Diana Asensio, M.S.

Lab Director


Florida

4001 SW 47th Avenue, Suite 208

Davie, FL 33314

(954) 514-9343





Order #: 79286
Retail Batch #:
2106M

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Agricultural Agents

GC-MS/MS

PASS

Sample Prep

Tech: 3975
SOP: 402
Batch Number: 59540
Batch Date: 04/26/2023 11:38:19

Sample Analysis

Date/Time: 04/27/2023 11:54:41
Tech: 3445
SOP: 402
Final Weight: 0.5119 g
Volume: 5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)
Captan	0.07/0.1	2	3	ND
Chlordane	0.01/0.1	2	0.1	ND
Chlorfenapyr	0.01/0.1	2	0.1	ND
Coumaphos	0.01/0.1	2	0.1	ND
Cyfluthrin	0.01/0.1	2	1	ND
Cypermethrin	0.01/0.1	2	1	ND
Methyl parathion	0.01/0.1	2	0.1	ND
Pentachloronitrobenzene	0.01/0.1	2	0.2	ND

MYCOTOXIN ANALYSIS

LC-MS/MS

PASS

Sample Prep

Tech: 3975
SOP: 432
Batch Number: 59539
Batch Date: 04/26/2023 11:37:58

Sample Analysis

Date/Time: 04/28/2023 18:38:17
Tech: 3445
SOP: 424
Final Weight: 0.5106 g
Volume: 5 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)
Aflatoxin B1	2/10	2	20	ND
Aflatoxin B2	2/10	2	20	ND
Aflatoxin G1	2/10	2	20	ND
Aflatoxin G2	2/5	2	20	ND
Ochratoxin A	2/10	2	20	ND

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004



Order #: 79286
Retail Batch #:
2106M

Agricultural Agents

LC-MS/MS

PASS

Sample Prep

Tech: 3975
SOP: 432
Batch Number: 59539
Batch Date: 04/26/2023 11:37:58


Sample Analysis

Date/Time: 04/28/2023 18:38:17
Tech: 3445
SOP: 424
Final Weight: 0.5106 g
Volume: 5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
Abamectin B1a	0.002/0.035	2	0.3	ND	Imazalil	0.002/0.01	2	0.1	ND
Acephate	0.002/0.04	2	3	ND	Imidacloprid	0.002/0.002	2	3	ND
Acequinocyl	0.002/0.002	2	2	ND	Kresoxim-methyl	0.002/0.002	2	1	ND
Acetamiprid	0.002/0.002	2	3	ND	Malathion	0.01/0.04	2	2	ND
Aldicarb	0.002/0.01	2	0.1	ND	Metalaxyl	0.002/0.004	2	3	ND
Azoxystrobin	0.002/0.04	2	3	ND	Methiocarb	0.002/0.01	2	0.1	ND
Bifenazate	0.002/0.002	2	3	ND	Methomyl	0.002/0.002	2	0.1	ND
Bifenthrin	0.002/0.002	2	0.5	ND	Mevinphos	0.009/0.036	2	0.1	ND
Boscalid	0.01/0.05	2	3	ND	Myclobutanil	0.002/0.04	2	3	ND
Carbaryl	0.002/0.004	2	0.5	ND	Naled	0.002/0.01	2	0.5	ND
Carbofuran	0.002/0.01	2	0.1	ND	Oxamyl	0.002/0.002	2	0.5	ND
Chlorantraniliprole	0.002/0.01	2	3	ND	Paclobutrazol	0.002/0.004	2	0.1	ND
Chloromequat chloride	0.002/0.004	2	3	ND	Permethrins	0.002/0.01	2	1	ND
Chlorpyrifos	0.002/0.01	2	0.1	ND	Phosmet	0.002/0.002	2	0.2	ND
Clofentezine	0.002/0.002	2	0.5	ND	Piperonyl Butoxide	0.002/0.002	2	3	ND
Daminozide	0.01/0.04	2	0.1	ND	Prallethrin	0.002/0.01	2	0.4	ND
Diazinon	0.002/0.01	2	0.2	ND	Propiconazole	0.002/0.04	2	1	ND
Dichlorvos	0.002/0.04	2	0.1	ND	Propoxur	0.002/0.01	2	0.1	ND
Dimethoate	0.002/0.002	2	0.1	ND	Pyrethrins	0.001/0.013	2	1	ND
Dimethomorph	0.001/0.002	2	3	ND	Pyridaben	0.002/0.002	2	3	ND
Ethoprophos	0.002/0.01	2	0.1	ND	Spinetoram	0.001/0.003	2	3	ND
Etofenprox	0.002/0.002	2	0.1	ND	Spinosad	0.001/0.001	2	3	ND
Etoxazole	0.002/0.002	2	1.5	ND	Spiromesifen	0.002/0.002	2	3	ND
Fenhexamid	0.01/0.04	2	3	ND	Spirotetramat	0.002/0.01	2	3	ND
Fenoxycarb	0.002/0.004	2	0.1	ND	Spiroxamine	0.002/0.04	2	0.1	ND
Fenpyroximate	0.002/0.002	2	2	ND	Tebuconazole	0.01/0.04	2	1	ND
Fipronil	0.002/0.004	2	0.1	ND	Thiacloprid	0.002/0.002	2	0.1	ND
Fonicamid	0.002/0.01	2	2	ND	Thiamethoxam	0.002/0.01	2	1	ND
Fludioxonil	0.002/0.004	2	3	ND	Trifloxystrobin	0.002/0.002	2	3	ND
Hexythiazox	0.002/0.004	2	2	ND					

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 79286
Retail Batch #:
2106M

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

RESIDUAL SOLVENTS

HS-GC-MS

PASS

Sample Prep

Tech: 4245
SOP: 405
Batch Number: 59559
Batch Date: 04/26/2023 18:53:13

Sample Analysis

Date/Time: 05/01/2023 10:59:35
Tech: 3445
SOP: 405
Final Weight: 0.0521 g
Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
1,1-Dichloroethene	0.6/0.63	1	8	ND	Heptane	6/140	1	5000	ND
1,2-Dichloroethane	0.012/0.12	1	2	ND	Hexanes	0.06/18	1	250	ND
Acetone	9/140	1	750	<LOQ	Isopropyl alcohol	3/140	1	500	<LOQ
Acetonitrile	0.72/25	1	60	<LOQ	Methanol	6/100	1	250	<LOQ
Benzene	0.06/1	1	1	ND	Methylene chloride	1.5/1.5	1	125	ND
Butane	48/50	1	5000	ND	Pentane	9/140	1	750	<LOQ
Chloroform	0.2/1	1	2	ND	Propane	30/30	1	5000	ND
Ethanol	12/140	1	5000	<LOQ	Toluene	0.9/53	1	150	ND
Ethyl acetate	2.4/140	1	400	ND	Total xylenes	1.8/130	1	150	ND
Ethyl ether	6/140	1	500	ND	Trichloroethylene	0.3/1	1	25	ND
Ethylene oxide	0.6/2	1	5	ND					

HEAVY METAL ANALYSIS

ICP-MS

PASS

Sample Prep

Tech: 3396
SOP: 428
Batch Number: 59560
Batch Date: 04/27/2023 10:34:01

Sample Analysis

Date/Time: 04/27/2023 17:41:41
Tech: 3396
SOP: 428
Final Weight: 0.241 g
Volume: 60 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LIMIT (ppb)	RESULTS (ppb)
Arsenic	20/75	1	1500	ND
Cadmium	20/75	1	500	ND
Lead	20/75	1	500	ND
Mercury	20/75	1	3000	ND

FILTH & FOREIGN MATERIAL ANALYSIS

Result: **PASS**

Sample Prep and Analysis

Date/Time: 04/27/2023 10:09:20
Tech: 3975
SOP: 409
Final Weight: 22.4607 g

Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 79286
Retail Batch #:
2106M

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 3975
SOP: 406

Batch Number: 59541
Batch Date: 04/26/2023 13:28:43

Date/Time: 04/27/2023 15:16:13
Tech: 3358
SOP: 406

Sample Analysis

Final Weight: 1.0096 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total yeast and mold	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 3975
SOP: 406

Batch Number: 59537
Batch Date: 04/26/2023 10:51:37

Date/Time: 04/28/2023 14:35:05
Tech: 3358
SOP: 406

Sample Analysis

Final Weight: 1.003 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Salmonella	qPCR	< 1 CFU/g	NOT DETECTED	PASS
STEC e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Sample Prep

Tech: 3975
SOP: 406

Batch Number: 59537
Batch Date: 04/26/2023 10:51:37

Date/Time: 04/28/2023 14:35:05
Tech: 3358
SOP: 406


Sample Analysis

Final Weight: 1.003 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Pathogenic e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 79286
Retail Batch #:
2106M

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

WATER ACTIVITY

Water Activity Meter
Water: 0.468 Aw

Sample Prep and Analysis

Date/Time: 04/27/2023 10:04:05
Tech: 3975
SOP: 407
Final Weight: 1.0320 g

MOISTURE ANALYSIS


Moisture: **0.99 %**

Sample Prep and Analysis

Date/Time: 04/27/2023 10:14:02
Tech: 3975
SOP: 411
Final Weight: 0.306 g

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



